



Connectable label printer for your workspace

Organise, identify, personalise





PT-D460BT Desktop Label Printer

Connectable label printer for your workspace



Create labels using the built-in keyboard, download the app and use your smart device via Bluetooth, or connect to a PC via USB for additional labelling functionality

Large graphic display for easy label editing

Preview labels before printing

QWERTY keyboard for easy typing

Store up to 70 labels for quick reprinting

Print on label tapes up to 18mm wide

PT-D460BT








Perfect for Home Offices or Large Corporate Workspaces

Transform your workspace with a professional label printer from Brother. The PT-D460BT Label Pinter offers a compact, easy-to-use label printer which prints clear, laminated labels and comes with additional Bluetooth connectivity. Perfect for organising important files and folders, asset management and general office signage labels, this model allows you to create an organised and comfortable working environment for everyone

Applications

- Asset management
- Personal item
- Name tag
- File and folder
- Drawer or storage
- Office signage
- Stationery
- Cable management









Software and applications

P-touch Editor

Supplied as standard, you can create your own custom labels with pixel precision using this brand new software solution by connecting your label printer to your PC using USB Connectivity. The P-touch Editor software offers newly updated features including increased number of specially designed templates, additional number/time & date/barcode functionality and an overall user interface refresh to provide a truly connected solution for creating custom labels





Key features

- Wide range of pre-designed templates for a variety of home office and business applications
- Customisable templates for flexible editing with over 1200 symbols and 30+ fonts
- Easily find labels you've created in the past or share labels to Brother label editing apps on your smartphone
- Import data from excel and other databases directly onto labels
- Straightfoward barcode/2D code label creation
- Create multilingual labels containing different language symbols using Unicode
- · Customise labels to include your company logo

iPrint&Label App

Brother iPrint&Label is a free application that enables you to easily print labels from your phone or tablet to a Brother label printer using Bluetooth. Create labels through the P-touch Editor label design software, then simply share to a smartphone or tablet to print, save, or edit on the mobile app for a fully integrated solution

App Store

Google Play











Key features

- Fully customisable layout, including the option to add text boxes or lines, move objects and resize and rotate
- Access to pre-designed templates
- Hundreds of symbols and clip-art
- Add images, photos and logos to your label
- Add barcodes to labels, including QR code and 1D barcode
- Improved and modern looking user interface for ease-of-use, including the ability to quickly reprint saved or frequently used labels to save time
- Import contact details directly from your device onto labels



Key features

- Design and save your own labels using a wide variety of fonts, frames and symbols
- Save up to 100 labels
- Uses smartphone features such as spell check and voice to text
- Automatically detects TZe label colour and width in your PT-D460BT label printer

Design&Print 2 App

Brother P-touch Design&Print 2 is a free app that enables you to design and print labels from your smartphone or tablet to a Bluetooth compatible Brother label printer





Technical Specifications for the PT-D460BT

ktop ERTY & Numeric Shic (320 x 120 dots) Characters x 3 line LCD anguages: English, German, French, Spanish, Portuguese, Portuguese-Bra, Italian, Dutch, Danish, Norwegian, Swedish, ih, Hungarian, Czech, Polish, Romanian, Slovene, Slovak, Croatian, Turkish at thermal m/sec dpi er mode mm nm uul (built-in) 1/3 30mm-300mm ans. : Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund dels: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cala Bold/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 8 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
chic (320 x 120 dots) Characters x 3 line LCD characters x 4 loa loa characters x 8 loa characters x 4 loa loa characters x 8 loa characters x 4 loa characters x 8 loa c
Characters x 3 line LCD anguages: English, German, French, Spanish, Portuguese, Portuguese-Bra, Italian, Dutch, Danish, Norwegian, Swedish, sh, Hungarian, Czech, Polish, Romanian, Slovene, Slovak, Croatian, Turkish at thermal m/sec dpi er mode mm mm ual (built-in) // 30mm-300mm anny, Istanbul, Letter Gothic, Dortmund ands: Auto/ 6/9 / 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
anguages: English, German, French, Spanish, Portuguese, Portuguese-Bra, Italian, Dutch, Danish, Norwegian, Swedish, h, Hungarian, Czech, Polish, Romanian, Slovene, Slovak, Croatian, Turkish at thermal m/sec dpi er mode mm mm ual (built-in) // 30mm-300mm anny, Istanbul, Letter Gothic, Dortmund ands: Auto/ 6/9 / 12/ 18/ 24/ 36/ 42pt or PC select tytes: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 8 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
th, Hungarian, Čzech, Polish, Romanian, Slovene, Slovak, Croatian, Turkish at thermal m/sec dpi er mode mm nm ual (built-in) // 30mm-300mm ans: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund ads: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 8 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
tot thermal m/sec ddpi er mode mm nnm ual (built-in) 1/30mm-300mm botts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund dds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
tot thermal m/sec ddpi er mode mm nnm ual (built-in) 1/30mm-300mm botts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund dds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
m/sec dpi er mode mm mm val (built-in) d/ 30mm-300mm conts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund des: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
m/sec dpi er mode mm mm ual (built-in) 7/30mm-300mm onts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund nds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
dpi er mode mm mm ual (built-in) o' 30mm-300mm conts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, many, Istanbul, Letter Gothic, Dortmund nds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
er mode mm mm ual (built-in) o'/30mm-300mm ponts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund nds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
mm nual (built-in) // 30mm-300mm ponts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund nds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
ual (built-in) / 30mm-300mm ponts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund nds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 8 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
ual (built-in) of 30mm-300mm conts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund onds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 8 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
conts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund conds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
conts: Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, nany, Istanbul, Letter Gothic, Dortmund inds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
nany, Istanbul, Letter Gothic, Dortmund nds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 8 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
nany, Istanbul, Letter Gothic, Dortmund nds: Auto/ 6/ 9/ 12/ 18/ 24/ 36/ 42pt or PC select tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/ cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 8 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
tyles: Normal/ Bold/ Outline/ Shadow/ Solid/ Italic Bold/ Italic Outline/ Italic Shadow/ Italic Solid/ Vertical/cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
cal Bold/ Underline/ Underline Bold/ Strikeout dths: x2, x3/2, Normal, x 2/3, x1/2 Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
Frames 3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
3 Characters / 800 Symbols / Number of accented-alphabets 146 o 70 labels
o 70 labels
otocols: CODE39, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128(UCC/EAN128), CODE128
o 5 lines
(1-99)
(in the style setting)
(Real Preview)
uch Editor for Win 8.1/10/11
rface: USB Micro / Bluetooth stooth: Ver.5.0 SPP: iAP2
ner iPrint&Label For iOS 14, 15 & Android 8, 9, 10, 11, 12 and Design&Print 2
dows 8.1° / 10° / 11° / Mac OS X 10.15/ 11/ 12
laminated & satin ribbon
n, 9mm, 12mm and 18mm
nm (W) x 72mm (H) x 178mm (D)
g (without tape & batteries)
m (H) x 310mm (H) x 224mm (D)
Kg
VA (LR06 / Ni-MH HR06 x 6 pcs)
ided
Adapter (OFF / 1hr / 2hr / 4hr / 8hr), AA batteries (5min / 10min / 30min)
And the first term of the process of the first terms of the first term
ars Carry-In
r de la





Durable Brother TZe label tapes




Specifically designed for the P-touch range of label printers, our laminated TZe tapes have been rigorously tested to stand up to even the harshest conditions. With excellent resistance to water, abrasion, chemicals and temperature extremes, they'll remain legible over time.

They're easy to peel and stick, and come in a variety of colours, widths and sizes. From standard laminated to matt and premium laminated, TZe tapes are suitable for almost any application. Plus, they're designed to work perfectly with your Brother P-touch.









Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene Tel 0860 brother Email info@brother.co.za www.brother.co.za https://solutions.brother.com









All specifications correct at time of publication and are subject to change without notice. Brother and its logo are trademarks of Brother Industries LTD., Japan. All registered trademarks referenced herein are the property of their respective companies.



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.